

AirSeal® System

The World's only intelligent and integrated access system for laparoscopic and robotic surgery, representing a revolutionary transformation of conventional insufflation, trocar, and filtered tubing systems.















To learn more about these and other innovative products, call 800-448-6506 or visit CONMED.com

AirSeal® iFS

The AirSeal iFS is the World's first "3-in-1" insufflation management system and features unmatched capabilities in providing a stable pneumoperitoneum, constant smoke evacuation*, and valve-free access.



The AirSeal iFS offers three distinct modes of operation, including:

	Stable Pneumoperitoneum	Constant Smoke Evacuation	High Flow Insufflation
AirSeal Mode			
Smoke Evacuation Mode			
Standard Insufflation Mode			

^{*}Except when in standard insufflation mode.

AirSeal® Access Ports

- Valve-free access to abdominal cavity
- Intact specimen removal
- Unimpeded introduction and removal of needles, clips, sutures, and mesh



AirSeal® Filtered Tube Sets

The AirSeal iFS is capable of operating in three distinct modes, each of which uses a specific filtered tube set to maximize system performance.

AirSeal Mode

Tri-Lumen Filtered Tube Set

- Optimizes gas flow to provide stable pneumoperitoneum
- Facilitates smoke evacuation and filtration with 0.01µ ULPA filter
- Use with AirSeal Access Port





Smoke Evacuation Mode

Bifurcated, Dual-Lumen Filtered Tube Set

- Provides high flow insufflation
- Facilitates smoke evacuation and filtration with 0.01µ ULPA filter
- Use with two conventional trocars



Standard Insufflation Mode

Single-Lumen Filtered Tube Set

- Provides high flow insufflation
- Use with conventional trocars



Use for Robotic and Laparoscopic Surgery



Robotic Surgery

By providing stable pneumoperitoneum, constant smoke evacuation*, and valve-free access to the abdominal cavity, the AirSeal® System has been demonstrated to reduce procedure time, resulting in increased operating efficiency.¹

SURGEON	
PROCEDURAL PERFORMANCE	
Stable Pneumoperitoneum	
Constant Smoke Evacuation*	
Valve-Free Access	

HOSPITAL	
FISCAL PERFORMANCE	
Reduced Operative Time 1	
Increased Operating Efficiency ¹	
Reduced PACU Time ⁷	



Laparoscopic Surgery

LOW PRESSURE LAPAROSCOPY

Data shows that low pressure laparoscopy was previously difficult to accomplish due to the limitations associated with conventional insufflation. AirSeal System's unique ability to maintain pneumoperitoneum and constantly remove smoke* enables surgeons to operate at lower pressure without compromising exposure.

*Except when in standard insufflation mode.

References

- ¹ George AK, Wimhofer R, Viola KV, Pernegger M, Costamoling W, Kavoussi LR, Loidl W. World J Urol. 2015 Mar 1.
- ² Joshipura VP, Haribhakti SP, Patel NR, et al. A prospective randomized, controlled study comparing low pressure versus high pressure pneumoperitoneum during laparoscopic cholecystectomy. Surg Laparosc Endosc Percutan Tech. 2009 Jun;19(3):234-40.
- 3 Yasir, M. Mehta KS, Banday VH, et al. Evaluation of post-operative shoulder tip pain in low pressure versus standard pressure pneumoperitoneum during laparoscopic cholecystectomy. Surgeon. 2012 Apr;10(2):71-4.
- 4 Hua J, Gong J, Yao L, et al. Low-pressure versus standard-pressure pneumoperitoneum for laparoscopic cholecystectomy: a systematic review and meta-analysis. Am J Surg. 2014 Jul;208(1):143-50.
- ⁵ Gurusamy KS, Samraj K, Davidson BR. Low pressure versus standard pressure pneumoperitoneum in laparoscopic cholecystectomy. Cochrane Database Syst Rev. 2009 Apr 15;(2):CD006930.
- ⁶ Sroussi, J, Rigouzzo A, Elies A, et al. Laparoscopic Surgery at low (7mm) pressure with AirSeal® System. Presented at 2013 AAGL Meeting. Publication Pending.
- ⁷ Ramshaw, B., et al. Laparoscopic Ventral Hernia Surgery using AirSeal System. Surgical Technology International. 2016.



488 Wheelers Farms Road, Milford, CT 06461

Ordering Information					
Ü	Description	Unit of Measure	Qty Per Box	Catalog Number	
	AirSeal iFS Intelligent Flow System				
	120V	Unit	1	AS-iFS1	
	AirSeal iFS Intelligent Flow System	l leit	4	AC :FCO	
	230V	Unit	1	AS-iFS2	
	AirSeal Cart for use with iFS	Unit	1	AS-iCART	
M	Tri-Lumen Filtered Tube Set for use with iFS AirSeal Mode	Box	6	ASM-EVAC	
W F	Bifurcated Smoke Evac Filtered Tube Set for use with iFS Smoke Evacuation Mode	Вох	6	SEM-EVAC	
-	Single Lumen Filtered Tube Set for use with iFS Standard Insufflation Mode	Box	10	SIM-TUB	
	5mm Access Port and Low Profile Obturator			OIIVI TOD	
s Q +	with Bladeless Optical Tip, 100mm Length	Box	6	iAS5-100LP	
	5mm Access Port and Low Profile Obturator				
	with Bladeless Optical Tip, 120mm Length	Box	6	iAS5-120LP	
- 1 3411	5mm Smooth Access Port with Blunt Tip,				
	150mm Length (for use with single site surgical platforms)	Box	6	iASB5-150	
- 1 10°	8mm Access Port and Low Profile Obturator,	D.	0	'A00 400LD	
	with Bladeless Optical Tip 100mm Length	Box	6	iAS8-100LP	
11 0	8mm Access Port and Low Profile Obturator, with Bladeless Optical Tip 120mm Length	Box	6	iAS8-120LP	
in	12mm Access Port and Palm Grip Obturator,	DOX		IAOO-120LI	
- C	with Bladeless Optical Tip, 100mm Length	Box	6	iAS12-100LPi	
	12mm Access Port and Obturator,				
	with Blunt Tip, 100mm Length	Box	6	iASB12-100	
	12mm Access Port and Palm Grip Obturator,				
	with Bladeless Optical Tip, 120mm Length	Box	6	iAS12-120LPi	
	12mm Access Port and Obturator,	_			
	with Blunt Tip, 120mm Length	Box	6	iASB12-120	
	12mm Access Port and Obturator with Bladeless Optical Tip, 150mm Length	Pov	e	iAC10 150	
	with bladeless optical rip, 150fffff Length	Box	6	iAS12-150	

Customer Service: 1-877-509-3947 (Option 1) 8:00 a.m. – 6:30 p.m. (EST) Fax: 1-877-509-3950

CONMED.com

SurgiQuest, Inc., a subsidiary of CONMED Corporation

©2017 CONMED Corporation, MCM2015275 REV D 4/17